

RUT240



RUT240 360' VIE\





CONNECTIVITY

4G/LTE (Cat 4), 3G, 2G

WAN FAILOVER

Automatic switching to available backup connection

WIF

Wireless Access Point with Hotspot functionality

COMPACTNESS

Small size – easy integration

1/0

Digital Input/Output for remote monitoring and control

RMS

Compatible with Teltonika Remote Management System

RUT240

PRODUCT DESCRIPTION

 $/\!/$ RUT240 is an all-time bestseller industrial 4G LTE Wi-Fi router for professional M2M & IoT applications.

// It delivers high performance for mission-critical cellular communication in rigorous environments.

// RUT240 is widely used for 4G backup, Remote Connection, Advanced VPN, and tunneling services in IoT networking solutions.


// WAN failover ensures automatic switch to alternative backup connection in case of any connectivity issues.


 $\!\!\!\!//$ The Wi-Fi is functional in both: Access point and Station mode at the same time.



FRONT VIEW

BACK VIEW







KEY FEATURES

HARDWARE

| Mobile | 4G/LTE (Cat 4), 3G, 2G |
|------------------------|--|
| CPU | Atheros, MIPS 24Kc, 400 MHz |
| Memory | 16 MBytes Flash, 64 MBytes RAM |
| Powering option | 4pin power socket, 9-30 VDC |
| SIM | 1 x External SIM holder (2FF) |
| Antenna connectors | 2 x SMA for mobile, 1 x RP-SMA for WiFi |
| Ethernet | 2 x 10/100 Ethernet ports: 1 x WAN (configurable as LAN), 1 x LAN |
| WiFi | IEEE 802.11b/g/n, Access point (AP), Station (STA) |
| Inputs/Outputs | On 4pin socket: 1 x Digital input, 1 x Digital open collector output |
| Status LEDs | 3 x Connection type, 5 x Signal strength, 2 x Ethernet, 1 x Power |
| Operating temperature | -40 °C to 75 °C |
| Housing | Aluminium housing with DIN rail mounting option, plastic panels |
| Dimensions (W x H x D) | 83 x 25 x 74 mm |
| Weight | 135 g |
| SOFTWARE | |

SOFTWARE

| Operating system | RutOS (OpenWrt based Linux OS) |
|---------------------------|---|
| Mobile features | Auto APN, Band lock |
| Network protocols | TCP, UDP, IPv4, IPv6, ICMP, NTP, DNS, HTTP, HTTPS, FTP, SMTP, SSLv3, TLS 1.3, ARP, PPP, PPPoE, DHCP, Telnet |
| Network | Failover (Network backup), VLAN, QoS, Load Balancing |
| Security | DDOS prevention (SYN flood protection, SSH attack prevention, HTTP/HTTPS attack prevention), Port scan prevention (SYN-FIN, SYN-RST, X-mas, NULL flags, FIN scan attacksw |
| VPN and tunneling | OpenVPN, IPsec, GRE, PPTP, L2TP, Stunnel, DMVPN, SSTP |
| Monitoring and management | WEB UI, CLI, SSH, SMS, TR-069, SNMP, JSON-RPC, MQTT, RMS |
| Connection monitoring | Ping Reboot, Wget reboot, Periodic Reboot, LCP and ICMP for link inspection |
| Cloud solutions | RMS, FOTA, Telenor, Azure IoT Hub, Cloud of Things, Cumulocity, ThingWorx |
| SMS features | SMS status, SMS configuration, Send/Read SMS via HTTP POST/GET, EMAIL to SMS, SMS to Email, SMS to HTTP, SMS to SMS, scheduled SMS, SMS autoreply, SMPP |
| Services | DDNS, VRRP, Wake On Lan (WOL), WEB filter, UPNP, Traffic Logging |

RMS





SOCIAL







